Table of Contents Volume 02		Diez M.O. Coll. I.C.: Cient and through transcription	
Table of Contents Volume 92		Diaz, M.O., Gall, J.G.: Giant readthrough transcription units at the histone loci on lampbrush chromosomes	
		of the newt Notophthalmus	243-253
No. 1 pp. 1-80 issued on 15.5.1985		Díez, J.L., s. Carmona et al	108-115
No. 2 pp. 81-164 issued on 5.6.1985		Dubrovskaya, V.A., s. Belyaev et al	193-199
No. 3 pp. 165–242 issued on 24.6.1985		Durrant, B., s. Gubb et al	116-123
No. 4 pp. 243–324 issued on 22.8.1985		Dyer, K.A., Riley, D., Gartler, S.M.: Analysis of inacti-	
No. 5 pp. 325–400 issued on 25.9.1985		ve X chromosome structure by in situ nick transla- tion	209–213
Abbadie, C., s. Lacroix et al	69–80	Earnshaw, W.C., Migeon, B.R.: Three related centro-	
Adair, G.M., s. Stallings et al	156–163	mere proteins are absent from the inactive centro-	
Alitalo, K., s. Lin et al	11–15	mere of a stable isodicentric chromosome	290-296
Ashburner, M., s. Gubb et al	116–123	Edström, J.E., s. Carmona et al	108–115
Azzouz, R., s. Lacroix et al	69–80	Fornells, M., s. Loir et al.	304-312
Baldwin, L., Macgregor, H.C.: Centromeric satellite		Foster, G.G., s. Bedo	344-350
DNA in the newt <i>Triturus cristatus karelinii</i> and related species: Its distribution and transcription on		Gall, J.G., s. Diaz, M.O.	243-253
lampbrush chromosomes	100-107	Garller, S.M. e. Dyer et al.	108–115 209–213
Barnes, S.R., James, A.M., Jamieson, G.: The organisa-	100-107	Gartler, S.M., s. Dyer et al	11–15
tion, nucleotide sequence, and chromosomal distri-		Ghose, D., s. Weiss et al.	391-400
bution of a satellite DNA from <i>Allium</i> cepa	185-192	Gillies, C.B.: An electron microscopic study of synapto-	391-400
Barros, M.A., Patton, J.L.: Genome evolution in pocket	100 172	nemal complex formation at zygotene in rye	165-175
gophers (Genus Thomomys). III. Fluorochromere-		Gosden, J.R., s. Mitchell et al.	369-377
vealed heterochromatin heterogeneity	337-343	Goyanes, V.J., s. Schvartzman et al	7–10
Bedo, D.G., Foster, G.G.: Cytogenetic mapping of the		Gubb, D., Roote, J., Harrington, G., McGill, S., Dur-	
male-determining region of Lucilia cuprina (Diptera:		rant, B., Shelton, M., Ashburner, M.: A preliminary	
Calliphoridae)	344-350	genetic analysis of TE146, a very large transposing	
Belyaev, N.D., Budker, V.G., Dubrovskaya, V.A., Khri-		element of Drosophila melanogaster	116-123
stoljubova, N.B., Kiseleva, E.V., Matveeva, N.M.,		Gudkov, A.V., Massino, J.S., Chernova, O.B., Kopnin,	
Sukojan, M.A.: Membrane-mediated changes in the		B.P.: Gene amplification in Djungarian hamster cell	
structure of chromosomes	193–199	lines possessing decreased plasma membrane per-	
Belyaeva, E.S., s. Biyasheva et al.	351-356	meability for colchicine and some other drugs	16–24
Bishop, J.M., s. Lin et al.	11–15	Gudkov, A.V., s. Kopnin et al	25–36
Biyasheva, Z.M., Cytogenetic analysis of the X-chromo-		Gutierrez, C., s. Hernandez	214-217
some region 2B1-2-2B9-10 of <i>Drosophila melanoga</i> -		Harrington, G., s. Gubb et al	116–123
ster. V. Puffing disturbances carried by lethal mu-		Hernandez, P., Gutierrez, C.: Caffeine induces sister-	
tants of the gene <i>dor</i> are due to ecdysterone defi-	351-356	chromatid exchanges during the whole S-phase of	214 217
Blackman, R.L.: Spermatogenesis in the aphid <i>Ampho-</i>	331-330	the cell cycle	214–217 185–192
rophora tuberculata (Homoptera, Aphididae)	357-362	Jamieson, G., s. Barnes et al.	185-192
Boldin, S., s. Vogel et al	363-368	Jenkins, G.: Synaptonemal complex formation in hy-	105 172
Bolshakov, V.N., Zharkikh, A.A., Zhimulev, I.F.: Inter-		brids of Lolium temulentum × Lolium perenne (L.). I.	
calary heterochromatin in Drosophila. II. Hetero-		High chiasma frequency diploid	81-88
chromatic features in relation to local DNA content		Jenkins, G.: Synaptonemal complex formation in hy-	
along the polytene chromosomes of Drosophila mela-		brids of Lolium temulentum × Lolium perenne (L.). II.	
nogaster	200-208	Triploid	387-390
Boucher, D., s. Lacroix et al	69–80	Jett, J.H., s. Stallings et al	156–163
Bouvier, D., s. Loir et al	304–312	John, B., King, M.: Pseudoterminalisation, terminalisa-	
Budker, V.G., s. Belyaev et al	193–199	tion, and non-chiasmate modes of terminal associa-	00.00
Burk, R.D., Szabo, P., O'Brien, S., Nash, W.G., Yu,		tion	89-99
L., Smith, K.D.: Organization and chromosomal		Jones, K., s. Kenton	176–184
specificity of autosomal homologs of human Y chro-	225-233	Kafato, F.C., s. Wong et al	124–135
mosome repeated DNA	330–336	microscopic map of surface-spread polytene chromo-	
Campos, A., s. Schvartzman et al.	7–10	somes in <i>Drosophila hydei</i>	265-272
Carmona, M.J., Morcillo, G., Galler, R., Martínez-	, 10	Karakin, E.I., s. Kopantzev et al.	283-289
Salas, E., de la Campa, A.G., Díez, J.L., Edström,		Kenton, A., Jones, K.: Autosyndetic pairing in Gibasis	205 207
J.E.: Cloning and molecular characterization of a		(Commelinaceae) hybrids revealed by C-banding	176-184
telomeric sequence from a temperature-induced Bal-		Khristoljubova, N.B., s. Belyaev et al	193-199
biani ring	108-115	Kiknadze, I.I., s. Kopantzev et al	283-289
Carroll, R.E., s. Ochs et al	330-336	King, M., s. John	89-99
Charlemagne, J., s. Lacroix et al	69-80	Kiseleva, E.V., s. Belyaev et al	193-199
Chernova, O.B., s. Gudkov et al	16-24	Kopantzev, E.P., Karakin, E.I., Kiknadze, I.I.: Tissue-	
Church, K., Lin, HP. Pearl: Kinetochore microtubules		specific secretory proteins of the salivary glands of	
and chromosome movement during prometaphase in		Chironomus thummi. An electrophoretic and immu-	***
Drosophila melanogaster spermatocytes studied in life		nochemical analysis	283–289
and with the electron microscope	273–282	Kopnin, B.P., Massino, J.S., Gudkov, A.V.: Regular	

234-241

156-163

108-115

37-47

283-289

25-36

16-24

pattern of karyotypic alterations accompanying gene

amplification in Djungarian hamster cells: Study of

colchicine, adriablastin, and methotrexate resistance

Kopnin, B.P., s. Gudkov et al.

Clark, R.W., s. Stickel

Crawford, B.D., s. Stallings et al.

de la Campa, A.G., s. Carmona et al.

de Lares, L., s. Zickler et al.

	313-324	of salivary gland chromosomes of Drosophila gibbe-	
Lacroix, J.C., Azzouz, R., Boucher, D., Abbadie, C.,		rosa	55–68
Pyne, C.K., Charlemagne, J.: Monoclonal antibodies			116–123
to lampbrush chromosome antigens of Pleurodeles	60.00	Saffhill, R., Ockey, C.H.: Strand breaks arising from	
waltlii	69–80	the repair of the 5-bromodeoxyuridine-substituted	
Lage, A.M., s. Schvartzman et al.	7–10	template and methyl methanesulphonate-induced le-	
Lakhotia, S.C., Singh, A.K.: Non-inducibility of the		sions can explain the formation of sister chromatid	218-224
93D heat-shock puff in cold-reared larvae of <i>Droso-</i>	48-54	exchanges	1-6
phila melanogaster	304–312	Schubert, I., Wobus, U.: In situ hybridization confirms	
Leblon, G., s. Zickler et al.	37-47	jumping nucleolus organizing regions in Allium	143-148
Levine, J., Spradling, A.: DNA sequence of a 3.8 kilo-	2, 1,	Schultz, P., s. Weiss et al	391-400
base pair region controlling Drosophila chorion gene		Schvartzman, J.B., Goyanes, V.J., Campos, A., Lage,	
amplification	136-142	A.M., Veiras, C., Silva, M.C., Ramos, S.: Persistence	
Lin, C.C., Alitalo, K., Schwab, M., George, D., Varmus,		of DNA lesions and the cytological cancellation of	
H.E., Bishop, J.M.: Evolution of karyotypic abnor-		sister chromatid exchanges	7–10
malities and C-MYC oncogene amplification in hu-		Schwab, M., s. Lin et al.	11–15
man colonic carcinoma cell lines	11–15	Schwitalla, G., s. Kalisch et al.	265–272
Lin, C.C., s. Rattner	325-329	Sentry, J.W., Smyth, D.R.: A family of repeated sequen-	140 455
Lin, HP. P., s. Church	273–282	ces dispersed through the genome of Lilium henryi	149–155 116–123
Lischwe, M.A., s. Ochs et al.	330–336	Shelton, M., s. Gubb et al	330–336
Loir, M., Bouvier, D., Fornells, M., Lanneau, M., Subirana, J.A.: Interactions of nuclear proteins with		Siciliano, M.J., s. Stallings et al.	156–163
DNA, during sperm differentiation in the ram	304-312	Silva, M.C., s. Schvartzman et al.	7–10
Longmire, J.L., s. Stallings et al	156–163	Singh, A.K., s. Lakhotia	48-54
Macgregor, H.C., s. Baldwin	100-107	Smith, K.D., s. Burk et al.	225-233
MacPhail, L.A., s. Roberts	55-68	Smyth, D.R., s. Sentry	149-155
Martinez-Salas, E., s. Carmona et al	108-115	Speit, G., s. Vogel et al	363-368
Massino, J.S., s. Gudkov et al	16-24	Spoerel, N., s. Wong et al	124-135
Massino, J.S., s. Kopnin et al	25-36	Spradling, A., s. Levine	136-142
Matsui, S., Sandberg, A.A.: Intranuclear compartmen-		Stallings, R.L., Munk, A.C., Longmire, J.L., Jett, J.H.,	
talization of DNA-dependent RNA polymerases:		Wilder, M.E., Siciliano, M.J., Adair, G.M., Craw-	
Association of RNA polymerase I with nucleolar or-		ford, B.D.: Oncogenes and linkage groups: Conser-	156 460
ganizing chromosomes	1-6	vation during mammalian chromosome evolution	156–163
Matveeva, N.M., s. Belyaev et al	193–199	Stickel, S.K., Clark, R.W.: Mass characteristics of DNA obtained from chromosomes of a human carcinoma	
McGill, S., s. Gubb et al	116–123 290–296	cell line	234-241
Miles D.A. s. Mitchell et al.	369-377	Subirana, J.A., s. Loir et al	304-312
Miller, D.A., s. Mitchell et al	309-377	Sukojan, M.A., s. Belyaev et al.	193–199
sequence, p82H, of the alphoid repeated DNA family		Svendsen, A., s. Wandall	254-264
found at the centromeres of all human chromosomes	369-377	Szabo, P., s. Burk et al.	225-233
Morcillo, G., s. Carmona et al	108-115	Varmus, H.E., s. Lin et al	11-15
Moreau, P.J.F., s. Zickler et al	37-47	Veiras, C., s. Schvartzman et al	7-10
Munk, A.C., s. Stallings et al	156-163	Vogel, W., Boldin, S., Reisacher, A., Speit, G.: Charac-	
Nash, W.G., s. Burk et al.	225-233	terization of chromosome replication during S-phase	
Newmeyer, D.D., Ohlsson-Wilhelm, B.M.: Monoclonal		with bromodeoxyuridine labelling in Chinese ham-	
antibody to a protein of the nucleus and mitotic		ster ovary and HeLa cells	363-368
spindle of mammalian cells. Localization and synthe-	205 202	Wandall, A., Svendsen, A.: Transition from somatic to	
sis throughout the cell cycle	297–303	meiotic pairing and progressional changes of the sy-	
Newton, M.E.: Heterochromatin diversity in two species		naptonemal complex in spermatocytes of Aedes aegypti	254-264
of <i>Pellia</i> (Hepaticae) as revealed by C-, Q-, N- and Hoechst 33258-banding	378-386	Weiss, E., Ghose, D., Schultz, P., Oudet, P.: T-antigen	234-204
Nicklas, R.B., Kubai, D.F.: Microtubules, chromosome		is the only detectable protein on the nucleosome-free	
movement, and reorientation after chromosomes are		origin region of isolated simian virus 40 minichromo-	
detached from the spindle by micromanipulation	313-324	somes	391-400
O'Brien, S., s. Burk et al		Whitmore, T., s. Kalisch et al	265-272
Ochs, R.L., Lischwe, M.A., Shen, E., Carroll, R.E.,		Wilder, M.E., s. Stallings et al	156-163
Busch, H.: Nucleologenesis: Composition and fate		Wobus, U., s. Schubert	143-148
of prenucleolar bodies	330-336	Wong, YC., Pustell, J., Spoerel, N., Kafato, F.C.: Cod-	
Ockey, C.H., s. Saffhill	218-224	ing and potential regulatory sequences of a cluster	
Ohlsson-Wilhelm, B.M., s. Newmeyer		of chorion genes in Drosophila melanogaster	124–135
Oudet, P., s. Weiss et al.		Yu, L., s. Burk et al	225-233
Patton, J.L., s. Barros		Zharkikh, A.A., s. Bolshakov et al.	200-208
Pustell, J., s. Wong et al.		Zhimulev, I.F., s. Bolshakov et al	200-208
Pyne, C.K., s. Lacroix et al		Zhimulev, I.F., s. Biyasheva et al	351-356
Ramos, S., s. Schvartzman et al	7–10	Zickler, D., de Lares, L., Moreau, P.J.F., Leblon, G.: Defective pairing and synaptonemal complex forma-	
chromosomes of the mouse		tion in a Sordaria mutant (spo44) with a translocated	
Reisacher, A., s. Vogel et al.		segment of the nucleolar organizer	37-47
Riley, D., s. Dyer et al			3. 11
Roberts, P.A., MacPhail, L.A.: Structure and activity		Indexed in Current Contents	

